

D-5-A

Total No. of Questions : 29]

[Total No. of Printed Pages : 8

XIARKDN20

2005-A

MATHEMATICS

Time : 3 Hours]

[Maximum Marks : 100

Section-A

(Multiple Choice Questions)

1 each

1. In a set $A = \{1, 2, 3, 4, 5, 6, 7\}$ a relation R defined by $R = \{(a, b) : \text{both } a \text{ and } b \text{ are either odd or even}\}$, then R is :

(A) Reflexive

(B) Symmetric

(C) Transitive

(D) None of these

2. If $f : \mathbb{R} \rightarrow \mathbb{R}$ be given by $f(x) = (3 - x^4)^{1/4}$, then $f \circ f(x)$ is :

(A) x

(B) x^4

(C) $3^{1/4}$

(D) None of these

XIARKDN20-2005-A

D-5-A

(2)

3. If A is a square matrix such that $A^2 = A$, then $(I + A)^3 - 7A$ is equal to :

(A) A

(B) $I - A$

(C) I

(D) None of these

4. Let the vectors \vec{a} and \vec{b} be such that $|\vec{a}| = 3$ and $|\vec{b}| = \frac{\sqrt{2}}{2}$, then

$\vec{a} \times \vec{b}$ is a unit vector, if angle between \vec{a} and \vec{b} is :

(A) $\frac{\pi}{6}$

(B) $\frac{\pi}{4}$

(C) $\frac{\pi}{3}$

(D) None of these

Section-B

(Very Short Answer Type Questions)

2 each

5. Find AB , if $A = \begin{pmatrix} 6 & 9 \\ 2 & 3 \end{pmatrix}$ and $B = \begin{pmatrix} 2 & 6 & 0 \\ 7 & 9 & 8 \end{pmatrix}$.

6. Prove that :

$$\int \cot x \, dx = \log |\sin x| + C$$

MARKDN20-2005-A

2-5-A

26. Evaluate :

$$\int \frac{x^2}{(x^2 + 1)(x^2 + 4)} dx$$

Or

Find the area enclosed by the ellipse

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

27. Show that the differential equation :

$$y dx + x \log\left(\frac{y}{x}\right) dy - 2x dy = 0$$

is homogeneous and solve it.

Or

Find the particular solution of the differential equation :

$$(1 + x^2) \frac{dy}{dx} + 2xy = \frac{1}{1 + x^2}$$

given that $y = 0$ when $x = 1$.

(6)

Or

For the matrix

$$A = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 2 & -3 \\ 2 & -1 & 3 \end{bmatrix}$$

show that :

$$A^3 - 6A^2 + 5A + 11I = 0.$$

Hence, find A^{-1} .

25. Find the relation between a and b , so that the function f defined by :

$$f(x) = \begin{cases} ax + 1, & \text{if } x \leq 3 \\ bx + 3, & \text{if } x > 3 \end{cases}$$

is continuous at $x = 3$.

Or

Find $\frac{dy}{dx}$ of the function $xy = e^{(x-y)}$.

16. An edge of a variable cube is increasing at the rate of 3 cm/s. How fast is the volume of the cube increasing when the edge is 10 cm long ?

17. Using differentials find the approximate value upto 3 decimal places of $(25)^{1/3}$

18. Find $\frac{d^2y}{dx^2}$, if $y = x^3 \log x$.

19. Prove that :

$$\int \frac{dx}{x^2 - a^2} = \frac{1}{2a} \log \left| \frac{x-a}{x+a} \right| + C$$

20. Using properties of definite integrals, to evaluate :

$$\int_0^{\pi/2} \frac{\sin^{3/2} x \, dx}{\sin^{3/2} x + \cos^{3/2} x}$$

21. Show that $\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{a}$ is perpendicular to $\vec{a} \cdot \vec{b} - \vec{b} \cdot \vec{a}$, for any two non-zero vectors \vec{a} and \vec{b} .

18. Find the shortest distance between the lines whose vector equations are

$$\vec{r} = (1-t)\hat{i} + (t-2)\hat{j} + (3-2t)\hat{k} \quad \text{and}$$

$$\vec{r} = (s+1)\hat{i} + (2s-1)\hat{j} - (2s+1)\hat{k}$$

Or

Find the equation of the plane through the line of intersection of the planes $x + y + z = 1$ and $2x + 3y + 4z = 5$ which is perpendicular to the plane $x + y + z = 0$.

20. Find the mean number of heads in three tosses of a fair coin.

Or

There are 5% defective items in a large bulk of items. What is the probability that a sample of 10 items will include not more than one defective item ?

7. Evaluate :

$$\int_0^{\pi/4} \sin 2x \, dx$$

8. Find the order and degree of the differential equation :

$$xy \frac{d^2 y}{dx^2} + x \left(\frac{dy}{dx} \right)^2 - y \frac{dy}{dx} = 0$$

9. Find unit vector in the direction of vector $\vec{a} = 2\hat{i} + 3\hat{j} + \hat{k}$.

10. Define the term optimisation problem.

11. If $P(A) = \frac{7}{13}$, $P(B) = \frac{9}{13}$ and $P(A \cap B) = \frac{4}{13}$, evaluate $P(A/B)$.

12. A family has two children. What is the probability that both the children are boys given that at least one of them is a boy ?

Section-C

(Short Answer Type Questions)

4 each

13. Prove that the function $f : \mathbb{R} \rightarrow \mathbb{R}$, given by $f(x) = 2x$, is one-one and onto. <https://www.jkboseonline.com>

14. If $\sin \left[\sin^{-1} \frac{1}{5} + \cos^{-1} x \right] = 1$, then find the value of x .

15. Find the inverse of $\begin{pmatrix} 2 & 5 \\ 1 & 3 \end{pmatrix}$.

22. Find the distance of a point $(2, 5, -3)$ from the plane

$$\vec{r} \cdot (6\hat{i} - 3\hat{j} + 2\hat{k}) = 4.$$

23. Determine graphically the minimum value of the objective function

$$Z = -50x + 20y$$

Subject to the constraints

$$2x - y \geq -5$$

$$3x + y \geq 3$$

$$2x - 3y \leq 12$$

$$x \geq 0, y \geq 0$$

Section-D

(Long Answer Type Questions)

6 each

24. Using properties of determinants, prove that :

$$\begin{vmatrix} x & x^2 & yz \\ y & y^2 & zx \\ z & z^2 & xy \end{vmatrix} = (x - y)(y - z)(z - x)(xy + yz + zx)$$