


ML Aggarwal Solutions for Class 10 Maths Chapter 10- Reflection



ML Agrawal Solutions

CLASS 10 MATHS

Chapter 10: Reflection

For any clarifications or questions you can write to info@indcareer.com

Postal Address

IndCareer.com, 52, Shilpa Nagar, Somalwada Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888, **Website:** <https://www.indcareer.com> Class 8: Biology
Chapter 6 solutions. Complete Class 8 Biology Chapter 6 Notes.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



ML Aggarwal Solutions for Class 10 Maths

Chapter 10- Reflection

Class 10: Maths Chapter 10 solutions. Complete Class 10 Maths Chapter 10 Notes.

ML Aggarwal Solutions for Class 10 Maths Chapter 10- Reflection

ML Aggarwal 10th Maths Chapter 10, Class 10 Maths Chapter 10 solutions

Exercise 10

1. Find the co-ordinates of the images of the following points under reflection in the x-axis:

(i) (2, -5)

(ii) $(-3/2, -1/2)$

(iii) (-7, 0)

Solution:

The co-ordinates of the images of the points under reflection in the x-axis will be:

(i) Image of (2, -5) will be (2, 5)

(ii) Image of $(-3/2, -1/2)$ will be $(-3/2, 1/2)$

(iii) Image of (-7, 0) will be (-7, 0)

2. Find the co-ordinates of the images of the following points under reflection in the y-axis:

(i) (2, -5)

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(ii) $(-3/2, 1/2)$

(iii) $(0, -7)$

Solution:

The co-ordinates of the image of the points under reflection in the y-axis will be:

(i) Image of $(2, -5)$ will be $(-2, -5)$

(ii) Image of $(-3/2, 1/2)$ will be $(3/2, 1/2)$

(iii) Image of $(0, -7)$ will be $(0, -7)$

3. Find the co-ordinates of the images of the following points under reflection in the origin:

(i) $(2, -5)$

(ii) $(-3/2, -1/2)$

(iii) $(0, 0)$

Solution:

The co-ordinate of the image of the points under reflection in the y-axis will be:

(i) Image of $(2, -5)$ will be $(-2, 5)$

(ii) Image of $(-3/2, -1/2)$ will be $(3/2, 1/2)$

(iii) Image of $(0, 0)$ will be $(0, 0)$

4. The image of a point P under reflection in the x-axis is $(5, -2)$. Write down the coordinates of P.

Solution:

Given that $(5, -2)$ are the co-ordinates of the image of a point P under x-axis

Thus, the co-ordinates of P will be $(5, 2)$.

5. A point P is reflected in the x-axis. Co-ordinates of its image are $(8, -6)$.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(i) Find the co-ordinates of P.

(ii) Find the co-ordinates of the image of P under reflection in the y-axis.

Solution:

(i) The co-ordinates of image of P which is reflected in x-axis are (8, -6)

(ii) The co-ordinates of image of P under reflection in the y-axis will be (-8, 6)

6. A point P is reflected in the origin. Co-ordinates of its image are (2, -5). Find

(i) the co-ordinates of P.

(ii) the co-ordinates of the image of P in the x-axis.

Solution:

The co-ordinates of image of a point P which is reflected in origin are (2, -5), then

(i) Co-ordinates of P will be (-2, 5)

(ii) Co-ordinates of the image of P in the x-axis will be (-2, -5)

7. (i) The point P (2, 3) is reflected in the line $x = 4$ to the point P'. Find the co-ordinates of the point P'.

(ii) Find the image of the point P (1, -2) in the line $x = -1$.

Solution:

(i) The steps are:

(a) Draw axis XOY' and YOY' and take 1 cm = 1 unit

(b) Plot point P (2, 3) on it.

(c) Draw a line $x = 4$ which is parallel to y-axis.


<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(d) From P, draw a perpendicular on $x = 4$, which intersects $x = 4$ at Q.

(e) Produce PQ to P', such that $QP' = QP$.

Thus, P' is the reflection of P in the line $x = 4$

Hence, the co-ordinates of P' are (6, 3).



(ii) The steps are:

(a) Draw axis XOX' and YOY' and take 1 cm = 1 unit

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(b) Plot point P (2, 3) on it.


(c) Draw a line $x = 4$ which is parallel to y-axis.

(d) From P, draw a perpendicular on $x = 4$, which intersects $x = 4$ at Q.

(e) Produce PQ to P', such that $QP' = QP$.

Thus, P' is the reflection of P in the line $x = 4$

Hence, the co-ordinates of P' are (6, 3)



8. (i) The point $P (2, 4)$ on reflection in the line $y = 1$ is mapped onto P' Find the co-ordinates of P' .

(ii) Find the image of the point $P (-3, -5)$ in the line $y = -2$.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

Solution:

(i) The steps are:

(a) Draw axis XOX' and YOY' and take $1\text{ cm} = 1\text{ unit}$.

(b) Plot point $P(2, 4)$ on it.


(c) Draw a line $y = 1$, which is parallel to x -axis.

(d) From P , draw a perpendicular on $y = 1$ meeting it at Q .

(e) Produce PQ to P' such that $QP' = PQ$.

Therefore, P' is the reflection of P whose co-ordinates are $(2, -2)$.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



(ii) The steps are:

(a) Draw axis XOX' and YOY' and take 1 cm = 1 unit.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>


(b) Plot point P (-3, -5) on it.

(c) Draw a line $y = -2$ which is parallel to the x-axis.

(d) From P, draw a perpendicular on $y = -2$ which meets it at Q.

(e) Produce PQ to P' such that $QP' = PQ$.

Therefore, P' is the image of P, whose co-ordinates are (-3, 1).



9. The point $P (-4, -5)$ on reflection in y-axis is mapped on P' . The point P' on reflection in the origin is mapped on P'' . Find the co-ordinates of P' and P'' . Write down a single transformation that maps P onto P'' .

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

Given, point P $(-4, -5)$

And, P' is the image of point P in y-axis

Thus, the co-ordinates of P' will be $(4, -5)$

Again,

P'' is the image of P' under reflection in origin.

Thus, the co-ordinates of P'' will be $(-4, 5)$.

The single transformation that maps P onto P'' is the x-axis.

10. Write down the co-ordinates of the image of the point $(3, -2)$ when:

(i) reflected in the x-axis

(ii) reflected in the y-axis

(iii) reflected in the x-axis followed by a reflection in the y-axis

(iv) reflected in the origin.

Solution:

The co-ordinates of the given point are $(3, -2)$.

Now,

(i) Co-ordinates of the image reflected in x- axis will be $(3, 2)$

(ii) Co-ordinates of the image reflected in y- axis will be $(-3, -2)$


(iii) Co-ordinates of the point reflected in x- axis followed by reflection in the y-axis will be $(-3, 2)$

(iv) Co-ordinates of the point reflected in the origin will be $(-3, 2)$.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

11. Find the co-ordinates of the image of (3, 1) under reflection in x-axis followed by a reflection in the line $x = 1$.

Solution:



<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

The steps are:

- (i) Draw axis XOX' and YOY' taking $1\text{ cm} = 1\text{ unit}$.
- (ii) Plot a point $P(3, 1)$.
- (iii) Draw a line $x = 1$, which is parallel to y -axis.
- (iv) From P , draw a perpendicular on x -axis meeting it at Q .
- (v) Produce PQ to P' such that $QP' = PQ$, then

P' is the image of P in x -axis. Then co-ordinates of P' will be $(3, -1)$

- (vi) From P' , draw a perpendicular on $x = 1$ meeting it at R .

- (vii) Produce $P'R$ to P'' such that $RP'' = P'R$

Thus, P'' is the image of P' in the line $x = 1$

Hence, the co-ordinates of P'' are $(-1, -1)$

12. If $P'(-4, -3)$ is the image of a point P under reflection in the origin, find

- (i) the co-ordinates of P .**
- (ii) the co-ordinates of the image of P under reflection in the line $y = -2$.**

Solution:

- (i) Given, reflection of P is $P'(-4, -3)$ in the origin

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

Thus, the co-ordinates of P will be (4, 3)

Now,

Draw a line $y = -2$, which is parallel to x-axis


(ii) From P, draw a perpendicular on $y = -2$ meeting it at Q

Produce PQ to P" such that $QP'' = PQ$

Thus, P" will be the image of P in the line $y = -2$

Hence, the co-ordinates of P" will be (4, -7).

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



13. A point P (a, b) is reflected in the x-axis to P' (2, -3), write down the values of a and b. P'' is the image of P, when reflected in the y-axis. Write down the co-ordinates of P''. Find the co-ordinates of P'', when P is reflected in the line parallel to y-axis such that $x = 4$.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



Solution:

Given,

$P' (2, -3)$ is the reflection of $P (a, b)$ in the x -axis

Hence, the co-ordinates of P' will be $(a, -b)$ but P' is $(2, -3)$

On comparing, we get $a = 2, b = 3$

Thus, the co-ordinates of P will be $(2, 3)$

And,

P'' is the image of P when reflected in y -axis

Hence, the co-ordinate of P'' will be $(-2, 3)$


Now, draw a line $x = 4$, which is parallel to y -axis

As P''' is the image of P when it is reflected in the line $x = 4$,

So, P''' is its reflection.

Thus, the co-ordinates of P''' will be $(6, 3)$.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



14. (i) Point $P(a, b)$ is reflected in the x -axis to $P'(5, -2)$. Write down the values of a and b .
- (ii) P'' is the image of P when reflected in the y -axis. Write down the co-ordinates of P'' .
- (iii) Name a single transformation that maps P' to P'' .

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(i) Image of P (a, b) reflected in the x-axis to P' (5, -2)

So, the co-ordinates of P will be (5, 2)

Hence, $a = 5$ and $b = 2$

(ii) P'' is the image of P when reflected in the y-axis

Thus, its co-ordinates will be (-5, -2).

(iii) The single transformation that maps P' to P'' is the origin.

15. Points A and B have co-ordinates (2, 5) and (0, 3). Find

(i) the image A' of A under reflection in the x-axis.

(ii) the image B' of B under reflection in the line AA'.


Solution:

Given, co-ordinates of A are (2, 5) and of B are (0, 3)

(i) Co-ordinates of A', the image of A reflected in the x-axis will be (2, -5)

(ii) Co-ordinates of B', the image of B under reflection in the line AA' will be (4, 3).

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



16. Plot the points A (2, -3), B (-1, 2) and C (0, -2) on the graph paper. Draw the triangle formed by reflecting these points in the x-axis. Are the two triangles congruent?

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>


The points A (2, -3), B (-1, 2) and C(0, -2) has been plotted on the graph paper as shown and are joined to form a triangle ABC.

Hence, the co-ordinates of the images of A, B and C reflected in x-axis will be A' (2, 3), B' (-1, -2), C' (0, 2) respectively.

And, these are joined to form another $\triangle A'B'C'$

Yes, these two triangles are congruent.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



17. The points (6, 2), (3, -1) and (-2, 4) are the vertices of a right-angled triangle. Check whether it remains a right-angled triangle after reflection in the y-axis.

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

Let A (6, 2), B (3, -1) and C (-2, 4) be the points of a right-angled triangle


Then,

The co-ordinates of the images of A, B, C reflected in y-axis will be:

A' (-6, 2), B' (-3, -1) and C' (2, 4).

Hence, by joining these points

We see that $\triangle A'B'C'$ is also a right-angled triangle.



18. The triangle ABC where A (1, 2), B (4, 8), C (6, 8) is reflected in the x-axis to triangle A' B' C'. The triangle A' B' C' is then reflected in the origin to triangle A'' B'' C''. Write down

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

the co-ordinates of A'' , B'' , C'' . Write down a single transformation that maps ABC onto $A'' B'' C''$.

Solution:

Given,

The co-ordinates of $\triangle ABC$ are $A(1, 2)$, $B(4, 8)$, $C(6, 8)$

These vertices are reflected in x -axis as A' , B' and C' .

Hence, their co-ordinates are $A'(1, -2)$, $B'(4, -8)$ and $C'(6, -8)$.

Now,

A' , B' and C' are again reflected in origins to form an $\triangle A''B''C''$.

Hence, the co-ordinates will be $A''(-1, 2)$, $B''(-4, 8)$ and $C''(-6, 8)$

The single transformation that maps ABC onto $A'' B'' C''$ is y -axis.


19. The image of a point P on reflection in a line l is point P' . Describe the location of the line l .

Solution:

The line will be the right bisector of the line segment joining P and P' .

20. Given two points P and Q , and that (1) the image of P on reflection in the y -axis is the point Q and (2) the midpoint of PQ is invariant on reflection in x -axis. Locate:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



(i) the x-axis

(ii) the y-axis and

(iii) the origin.

Solution:

Given, Q is the image of P on reflection in y-axis and mid-point of PQ is invariant on reflection in x-axis

(i) x-axis will be the line joining the points P and Q.

(ii) The line perpendicular bisector of line segment PQ is the y-axis.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(iii) The origin will be the mid-point of line segment PQ.

21. The point $(-3, 0)$ on reflection in a line is mapped as $(3, 0)$ and the point $(2, -3)$ on reflection in the same line is mapped as $(-2, -3)$.

(i) Name the mirror line.

(ii) Write the co-ordinates of the image of $(-3, -4)$ in the mirror line.

Solution:

Given,

The point $(-3, 0)$ is the image of point $(3, 0)$ and point $(2, -3)$ is image of point $(-2, -3)$ reflected on the same line.

(i) Clearly, it's seen that the mirror line will be y-axis.

(ii) The co-ordinates of the image of the point $(-3, -4)$ reflected in the same line i.e. y-axis will be $(3, -4)$.

22. Use graph paper for this (take $2\text{ cm} = 1\text{ unit}$ along both x and y-axis). ABCD is a quadrilateral whose vertices are A $(2, 2)$, B $(2, -2)$, C $(0, -1)$ and D $(0, 1)$.

(i) Reflect quadrilateral ABCD on the y-axis and name it as A'B'CD.


(ii) Write down the coordinates of A' and B'.

(iii) Name two points which are invariant under the above reflection.

(iv) Name the polygon A'B'CD.

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



(i) Quadrilateral ABCD is reflected on the y-axis and named as A'B'CD.

(ii) As A' is the reflection of A (2, 2) about the line $x = 0$ (y-axis)

Thus, the co-ordinates of A' are $(-2, 2)$.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

And, as B' is the reflection of $B(2, -2)$ about the line $x = 0$ (y-axis)

Thus, the coordinates of B' are $(-2, -2)$.

(iii) Points $C(0, -1)$ and $D(0, 1)$ are invariant under the above reflection.

(iv) The polygon $A'B'CD$ is a trapezium since $A'B' \parallel CD$.

23. Use a graph sheet for this question. Take 1 cm = 1 unit along both x and y-axis.

(i) Plot the point: $A(0, 5)$, $B(3, 0)$, $C(1, 0)$ and $D(1, -5)$.


(ii) Reflect the points B , C and D on the y-axis and name them as B' , C' and D' respectively.

(iii) Write down the coordinates of B' , C' and D' .

(iv) Join the points A , B , C , D , D' , C' , B' , A in order and give a name to the closed figure $ABCDD'C'B'$.

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



- (i) Points A (0, 5), B (3, 0), C (1, 0) and D (1, -5) are plotted on the graph sheet.
- (ii) Points B, C and D are reflected on the y-axis and named as B', C' and D' respectively.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

- (iii) The coordinates of B' are (-3, 0), C' (-1, 0) and D' (-1, -5).
- (iv) Points A, B, C, D, D', C', B', A are joined in order and the closed figure comes out to be an arrow mark (Or a heptagon).

24. Use graph paper for this question.

- (i) The point P (2, -4) is reflected about the line $x = 0$ to get the image Q. Find the co-ordinates of Q.**
- (ii) Point Q is reflected about the line $y = 0$ to get the image R. Find the co-ordinates of R.**
- (iii) Name the figure PQR.**
- (iv) Find the area of figure PQR.**

Solution:

- (i) As the point Q is the reflection of the point P (2, -4) in the line $x = 0$,

Thus, the co-ordinates of Q are (2, 4).

- (ii) As R is the reflection of Q (2, 4) about the line $y = 0$,

Thus, the co-ordinates of R are (-2, 4).


- (iii) Figure PQR is the right-angled triangle PQR.

- (iv) Area of $\triangle PQR = \frac{1}{2} \times QR \times PQ$

$$= \frac{1}{2} \times 4 \times 8$$

$$= 16 \text{ sq. units.}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



25. Using a graph paper, plot the points A (6, 4) and B (0, 4).

(i) Reflect A and B in the origin to get the images A' and B'.

(ii) Write the co-ordinates of A' and B'.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(iii) State the geometrical name for the figure ABA'B'.

(iv) Find its perimeter.

Solution:

Points A (6, 4) and B (0, 4) are plotted on a graph paper.

(i) A and B are reflected in the origin to get images A' and B'

(ii) Hence,

The co-ordinates of A' are (-6, -4)

The co-ordinates of B' are (0, -4)

(iii) The geometrical name for ABA'B' is parallelogram

(iv) From the figure in graph paper, we see that

Length of AB = A'B' = 6 units

And, BB' = 8 units

In $\triangle ABB'$, by Pythagoras theorem


$$(AB')^2 = AB^2 + (BB')^2$$

$$= 6^2 + 8^2$$

$$= 36 + 64 = 100$$

$$AB' = \sqrt{100} = 10 \text{ units}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



Hence, the perimeter of $ABA'B' = (6 + 10 + 6 + 10) = 32$ units

26. Use graph paper to answer this question

(i) Plot the points A (4, 6) and B (1, 2).

(ii) If A' is the image of A when reflected in x-axis, write the co-ordinates of A'.

(iii) If B' is the image of B when B is reflected in the line AA', write the co-ordinates of B'.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(iv) Give the geometrical name for the figure $ABA'B'$.

Solution:

(i) Plotting the points A (4, 6) and B (1, 2) on the given graph.

(ii) The co-ordinates of the image of A when reflected in axis are $A'(4, -6)$


(iii) The co-ordinates of the image of B when reflected in the line AA' are $B' = (7, 2)$

(iv) It's seen that in the quadrilateral $ABA'B'$, we have

$$AB = AB' \text{ and } A'B = A'B'$$

Thus, $ABA'B'$ is a kite.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



27. The points A (2, 3), B (4, 5) and C (7, 2) are the vertices of $\triangle ABC$.

(i) Write down the co-ordinates of A_1 , B_1 , C_1 if $\triangle A_1B_1C_1$ is the image of $\triangle ABC$ when reflected in the origin.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(ii) Write down the co-ordinates of A_2 , B_2 , C_2 if $\triangle A_2B_2C_2$ is the image of $\triangle ABC$ when reflected in the x-axis.

(iii) Assign the special name to the quadrilateral BCC_2B_2 and find its area.

Solution:

Given, points A (2, 3), B (4, 5) and C (7, 2) are the vertices of $\triangle ABC$.

And A_1 , B_1 and C_1 are the images of A, B and C reflected in the origin.

(i) Hence,

Co-ordinates of $A_1 = (-2, -3)$

Co-ordinates of $B_1 (-4, -5)$ and

Co-ordinates of $C_1 (-7, -2)$.

(ii) Now,

Co-ordinates of A_2 , B_2 and C_2 the images of A, B and C when reflected in x-axis are:

$A_2 (2, -3)$, $B_2 (4, -5)$, $C_2 (7, -2)$

(iii) The quadrilateral formed by joining the points, BCC_2B_2 is an isosceles trapezium and its area is


$$= \frac{1}{2} (BB_2 + CC_2) \times 3$$

$$= \frac{1}{2} (10 + 4) \times 3$$

$$= \frac{1}{2} \times 14 \times 3$$

$$= 21 \text{ sq. units}$$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



28. The point P (3, 4) is reflected to P' in the x-axis and O' is the image of O (origin) in the line PP'. Find:

- the co-ordinates of P' and O',
- the length of segments PP' and OO'.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(iii) the perimeter of the quadrilateral POP'O'.

Solution:

Given,

P' is the image of P (3, 4) reflected in x- axis and O' is the image of O the origin in the line P'P.

(i) Hence, co-ordinates of P' are (3, -4) and co-ordinates of O' reflected in PP' are (6, 0)

(ii) Length of PP' = 8 units and OO' = 6 units

(iii) Perimeter of POP'O' is (4 x OP) units.

Let Q be the point of intersection of diagonals OO' and PP'.


So, OQ = 3 units and OP = 4 units

Hence,

$$OP = \sqrt{[(OQ)^2 + (PQ)^2]} = \sqrt{(3^2 + 4^2)} = \sqrt{(9 + 16)} = \sqrt{25} = 5 \text{ units}$$

Thus, the perimeter of POP'O' = 4 x 5 = 20 units

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



29. Use a graph paper for this question. (Take 10 small divisions = 1 unit on both axes). P and Q have co-ordinates (0, 5) and (-2, 4).

(i) P is invariant when reflected in an axis. Name the axis.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

(ii) Find the image of Q on reflection in the axis found in (i).

(iii) $(0, k)$ on reflection in the origin is invariant. Write the value of k .

(iv) Write the co-ordinates of the image of Q, obtained by reflecting it in the origin followed by a reflection in x-axis.

Solution:

Given, two points P $(0, 5)$ and Q $(-2, 4)$

(i) As the abscissa of P is 0. It is invariant when is reflected in y-axis.

(ii) Let Q' be the image of Q on reflection in y-axis.

Thus, the co-ordinate of Q' will be $(2, 4)$


(iii) $(0, k)$ on reflection in the origin is invariant.

So, the co-ordinates of image will be $(0, 0)$

Hence, $k = 0$

(iv) The reflection of Q in the origin is the point Q'' and its co-ordinates will be $(2, -4)$ and reflection of Q'' $(2, -4)$ in x-axis is $(2, 4)$ which is the point Q' .

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



Chapter Test

1. The point P (4, – 7) on reflection in x-axis is mapped onto P'. Then P' on reflection in the y-axis is mapped onto P''. Find the co-ordinates of P' and P''. Write down a single transformation that maps P onto P''.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

Solution:

Given,

P' is the image of $P(4, -7)$ reflected in x-axis

Thus, the co-ordinates of P' are $(4, 7)$

Again P'' is the image of P' reflected in y-axis

Hence, the co-ordinates of P'' are $(-4, 7)$

Therefore, single transformation that maps P and P'' is in the origin.

2. The point $P(a, b)$ is first reflected in the origin and then reflected in the y-axis to P' . If P' has co-ordinates $(3, -4)$, evaluate a, b

Solution:

The co-ordinates of image of $P(a, b)$ reflected in origin are $(-a, -b)$.

Again, the co-ordinates of P' which is image of the above point $(-a, -b)$ reflected in the y-axis are $(a, -b)$.

But the co-ordinates of P' are $(3, -4)$

Thus, $a = 3$ and $-b = -4 \Rightarrow b = 4$

3. A point $P(a, b)$ becomes $(-2, c)$ after reflection in the x-axis, and P becomes $(d, 5)$ after reflection in the origin. Find the values of a, b, c and d .

Solution:

Given, point $P(a, b)$ and the image of $P(a, b)$ after reflected in the x-axis be $(a, -b)$

But it is given as $(-2, c)$

Thus, $a = -2, c = -b$

Next,

If P is reflected in the origin, then its co-ordinates will be $(-a, -b)$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

But it is given as (d, 5)

Thus,

$$-b = 5 \Rightarrow b = -5,$$

$$d = -a = -(-2) = 2,$$

$$c = -b = -(-5) = 5$$

Thus,

$$a = -2, b = -5, c = 5 \text{ and } d = 2$$

4. A (4, -1), B (0, 7) and C (-2, 5) are the vertices of a triangle. $\triangle ABC$ is reflected in the y-axis and then reflected in the origin. Find the co-ordinates of the final images of the vertices.

Solution:

Given, A (4, -1), B (0, 7) and C (-2, 5) are the vertices of $\triangle ABC$.

$\triangle ABC$ after reflecting in y-axis, the co-ordinates of points will be A' (-4, -1), B' (0, 7), C' (2, 5).

Again, when $\triangle A'B'C'$ reflecting in origin:

The co-ordinates of the images of the vertices will be A'' (4, 1), B'' (0, -7), C'' (-2, -5).

5. The points A (4, -11), B (5, 3), C (2, 15), and D (1, 1) are the vertices of a parallelogram. If the parallelogram is reflected in the y-axis and then in the origin, find the co-ordinates of the final images. Check whether it remains a parallelogram. Write down a single transformation that brings the above change.

Solution:

Given, points A (4, -11), B (5, 3), C (2, 15) and D (1, 1) are the vertices of a parallelogram.

After reflecting in y-axis, the images of these points will be

$$A' (-4, 11), B' (-5, 3), C' (-2, 15) \text{ and } D' (-1, 1).$$

Again, reflecting these points in origin, the image of these points will be A'' (4, -11), B'' (5, -3), C'' (2, -15) and D'' (0, -1).

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

Yes, the reflection of a single transformation is in the x-axis.

6. Use a graph paper for this question (take 2 cm = 1 unit on both x and y axes).

(i) Plot the following points: A (0, 4), B (2, 3), C (1, 1) and D (2, 0).

(ii) Reflect points B, C, D on y-axis and write down their coordinates. Name the images as B', C', D' respectively.

(iii) Join points A, B, C, D, D', C', B' and A in order, so as to form a closed figure. Write down the equation of line of symmetry of the figure formed.

Solution:


(i) On graph: A (0, 4), B (2, 3), C (1, 1) and D (2, 0)

(ii) Point after reflection on y-axis are $B' = (-2, 3)$, $C' = (-1, 1)$ and $D' = (-2, 0)$

(iii) The points A, B, C, D, D', C', B' and A in order to form a closed figure.

Hence, the equation of the line of symmetry is $x = 0$

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>



7. The triangle OAB is reflected in the origin O to triangle OA'B'. A' and B' have coordinates $(-3, -4)$ and $(0, -5)$ respectively.

(i) Find the co-ordinates of A and B.

(ii) Draw a diagram to represent the given information.

(iii) What kind of figure is the quadrilateral ABA'B'?

(iv) Find the coordinates of A'', the reflection of A in the origin followed by reflection in the y-axis.

(v) Find the co-ordinates of B'', the reflection of B in the x-axis followed by reflection in the origin.

Solution:

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

Given,

$\triangle OAB$ is reflected in the origin O to $\triangle OA'B'$,

And the co-ordinates of $A' = (-3, -4)$ and $B' = (0, -5)$.

(i) Hence, the co-ordinates of A will be $(3, 4)$ and of B will be $(0, 5)$.

(ii) The diagram representing the given information has been drawn here.

(iii) The figure in the diagram is a rectangle.

(iv) The co-ordinates of B' , the reflection of B in the x -axis is $(0, -5)$ and co-ordinates of B'' , the reflection in origin of the point $(0, -5)$ will be $(0, 5)$.

(v) The co-ordinates of the points, the reflection of A in the origin are $(-3, -4)$ and coordinates of A'' , the reflected in y -axis of the point $(-3, -4)$ are $(3, -4)$.

 IndCareer



ML Aggarwal Solutions Class 10 Maths

- Chapter 1- Goods and Service Tax (GST)
- Chapter 2- Banking
- Chapter 3- Shares and Dividends
- Chapter 4- Linear Inequations
- Chapter 5- Quadratic Equations in One Variable
- Chapter 6- Factorization
- Chapter 7- Ratio and Proportion
- Chapter 8- Matrices
- Chapter 9- Arithmetic and Geometric Progression
- Chapter 10- Reflection
- Chapter 11- Section Formula
- Chapter 12- Equation of Straight Line
- Chapter 13- Similarity
- Chapter 14- Locus
- Chapter 15- Circles
- Chapter 16- Constructions
- Chapter 17- Mensuration
- Chapter 18- Trigonometric Identities
- Chapter 19- Trigonometric Tables
- Chapter 20- Heights and Distances
- Chapter 21- Measures Of Central Tendency
- Chapter 22- Probability

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

About ML Aggarwal

M. L. Aggarwal, is an Indian mechanical engineer, educator. His achievements include research in solutions of industrial problems related to fatigue design. Recipient Best Paper award, Manipal Institute of Technology, 2004. Member of TSTE.

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>

About IndCareer

IndCareer.com is a leading developer of online career guidance resources for the Indian marketplace. Established in 2007, IndCareer.com is currently used by over thousands of institutions across India, including schools, employment agencies, libraries, colleges and universities.

IndCareer.com is designed to assist you in making the right career decision - a decision that meets your unique interests and personality.

For any clarifications or questions you can write to **info@indcareer.com**

Postal Address

IndCareer.com
52, Shilpa Nagar,
Somalwada
Nagpur - 440015
Maharashtra, India

WhatsApp: +91 9561 204 888

Website: <https://www.indcareer.com>

<https://www.indcareer.com/schools/ml-aggarwal-solutions-for-class-10-maths-chapter-10-reflection/>